Ref	Hits	Search Query	DBs ·	Default Operator	Plurals	Time Stamp
S30 8	3	(S306 or S307) and (sensor or sensing or sense or sensed)	US-PGPUB; USPAT	OR	ON	2007/09/28 19:54
S29 8	3	(S296 or S297) and (sensor or sensing or sense or sensed)	US-PGPUB; USPAT	OR	ON	2007/09/28 19:54
S27	6	S270 and (sensor or sensing or sense or sensed)	US-PGPUB; USPAT	OR	ON	2007/09/28 19:55
S31 3	28	S312 and (sensor or sensing or sense or sensed)	US-PGPUB; USPAT	OR	ON	2007/09/28 20:00
S31 6	8	S312 and (piezoelectric)	US-PGPUB; USPAT	OR	ON	2007/09/28 20:00
S31 9	0	S318 and (gamma with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/09/28 20:10
S32 2	34	cantilever and (gamma with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/09/28 20:10
S31 8	40	(electrode same (alumina or (aluminum adj oxide) or "al. sub.2 o.sub.3" or "al.sub.2o.sub.3") same cantilever)	US-PGPUB; USPAT	OR	ON	2007/09/28 20:16
S32 8	2	S327 and cantilever	US-PGPUB; USPAT	OR	ON	2007/09/28 20:17
S31 0		S309 and (sensor or sensing or sense or sensed)	US-PGPUB; USPAT	OR	ON	2007/09/28 20:17
S32 3	1	(((pt or platinum) with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3")) same cantilever)	US-PGPUB; USPAT	OR	ON	2007/09/28 20:17
S32 1	0	S320 and (gamma with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/10 16:05
S33 0	26	S329 and (gamma with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/10 16:13
S33 3	0	S331 and (cantilever)	US-PGPUB; USPAT	OR	ON	2007/10/10 16:18
S33 2	3	S331 and (((ultrasonic or sonic or vibration) near2 (sensor or sensing or detector)) or resonator)	US-PGPUB; USPAT	OR	ON	2007/10/10 16:18
S33 4	40	S331 and (sensor or sensing or detector or detecting or resonator or resonating).ab.	US-PGPUB;	OR	ON	2007/10/10 16:19
S34 · 2	17	S341 and (257/415-419.ccls.)	US-PGPUB; USPAT	OR	ON	2007/10/10 16:37
S34 0	0	S338 and (257/415-419.fs.)	US-PGPUB; USPAT	OR	ON	2007/10/10 16:37
S33 7	0	S331 and (257/415-419.fs.)	US-PGPUB; USPAT	OR .	ON	2007/10/10 16:37
S33 6	0	S331 and (257/415-419.ccls.)	US-PGPUB; USPAT	OR	ON	2007/10/10 16:37
S33 9	0	S338 and (257/415-419.ccls.)	US-PGPUB; USPAT	OR	ON .	2007/10/10 16:42
S34 5	30	S344 and beam	US-PGPUB; USPAT	OR	ON	2007/10/10 16:43
S35 2	40	S350 and ((alumina or (aluminum adj oxide) or "al.sub.2 o. sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR _.	ON	2007/10/10 16:51

		•				
S34 8	1	S347 and (gamma with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/10 16:51
S34 9	7	S347 and ((alumina or (aluminum adj oxide) or "al.sub.2 o. sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/10 16:51
S34 7	44	(substrate with (etch or etched or etching) with (resonant adj frequency))	US-PGPUB; USPAT	OR	ON	2007/10/10 16:51
S35 3	34	S352 not S349	US-PGPUB; USPAT	OR	ON	2007/10/10 17:00
S35	1	S350 and (gamma with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/10 17:00
S36 0	11	S358 and (resonant adj frequency)	US-PGPUB; USPAT	OR	ON	2007/10/10 17:05
S35 7	7	S355 and (substrate near2 (resonant adj frequency))	US-PGPUB; USPAT	OR ·	ON	2007/10/10 17:05
S36 4	0	S363 and (gamma with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/10 17:06
S36 2	8	S361 not S360	US-PGPUB; USPAT	OR	ON	2007/10/10 17:06
S36 1	13	S358 and (piezoelectric)	US-PGPUB; USPAT	OR .	ON .	2007/10/10 17:06
S35	4	S355 and (gamma with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/10 17:06
S36 5	3	S363 and (substrate near2 (resonant adj frequency))	US-PGPUB; USPAT	OR	ON	2007/10/10 17:07
S37	0	S372 and ((pt or platinum) with (alumina or (aluminum adjoxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/10 17:12
S37	2	S370 and (gamma with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/10 17:12
S35 9	. 1	S358 and (substrate near2 (resonant adj frequency))	US-PGPUB; USPAT	OR ·	ON	2007/10/10 17:12
S37 5	0	S374 and (substrate with (resonant adj frequency))	US-PGPUB; USPAT	OR	ON	2007/10/10 17:13
S37 4	37	S370 and ((pt or platinum) with (alumina or (aluminum adjoxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/10 17:13
S36 8	44	S367 and ((pt or platinum) with (alumina or (aluminum adjoxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/11 13:50
S38 4	27	S383 and ((alumina or (aluminum adj oxide) or "al.sub.2 o. sub.3" or "al.sub.2o.sub.3") near3 gamma)	US-PGPUB; USPAT	OR .	ON	2007/10/11 13:55
S38 8	0	S387 and (resonator or resonating)	US-PGPUB; USPAT	OR .	ON	2007/10/11 13:56
S39 0	0	S386 and (resonator or resonating)	US-PGPUB; USPAT	OR	ON	2007/10/11 13:56
S38 9	20	S385 and (resonator or resonating)	US-PGPUB; USPAT	OR	ON	2007/10/11 13:56
S33 5	40	S331 and (sensor or sensing or detector or detecting or resonator or resonating) ab.	US-PGPUB; USPAT	OR	ON	2007/10/11 13:56
S38 1	13	S380 and (piezoelectric)	US-PGPUB; USPAT	OR	ON	2007/10/11 17:59

S39 4	20	S393 and ((pt or platinum) with (alumina or (aluminum adjoxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/11 18:06
S39 9	17	S398 not S396	US-PGPUB; USPAT	OR	ON	2007/10/11 18:12
S39 8	20	(("333"/\$3.cor.) or ("310"/\$3.cor.) or ("29"/\$5.cor.)) and ((gamma) with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR .	ON	2007/10/11 18:12
S39 6	3	(("333"/\$3.cor.) or ("310"/\$3.cor.)) and ((gamma) with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/11 18:15
S40 3	. 5	S401 and ((pt or platinum) with (alumina or (aluminum adjoxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/11 18:20
S40 1	34	cantilever and ((gamma) with (alumina or (aluminum adjoxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/11 18:20
S40 7	56	S404 and ((pt or platinum) with electrode with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o. sub.3")	US-PGPUB; USPAT	OR	ON	2007/10/11 18:44
S41 1	20	(vibration or (ultra adj sonic)).ab. and ((gamma) with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/11 18:47
S39 2	26	S382 and (ultrasonic near (sensor or sensing or sense or sensed))	US-PGPUB; USPAT	OR	ON	2007/10/11 18:48
S41 2 .	14	((gamma) with (alumina or (aluminum adj oxide) or "al.sub. 2 o.sub.3" or "al.sub.2o.sub.3")) and ((cantilever or diaphragm) with (sensor or sensing or sense or sensed or detecting or detector or detected))	US-PGPUB; USPAT	.OR	ON	2007/10/11 18:50
S41 3	0	((gamma) with (alumina or (aluminum adj oxide) or "al.sub. 2 o.sub.3" or "al.sub.2o.sub.3")) and ((cantilever or diaphragm) with (sensor or sensing or sense or sensed or detecting or detector or detected))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 18:50
S41 4	0	((gamma) with (alumina or (aluminum adj oxide) or "al.sub. 2 o.sub.3" or "al.sub.2o.sub.3")) and ((cantilever or diaphragm) and (sensor or sensing or sense or sensed or detecting or detector or detected))	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 18:50
S41 7	35	S416 not S412	US-PGPUB; USPAT	OR	ON ·	2007/10/11 18:51
S41 5	0	((gamma) with (alumina or (aluminum adj oxide) or "al.sub. 2 o.sub.3" or "al.sub.2o.sub.3")) and (resonator or resonating)	EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/10/11 18:51
S41 6	36	((gamma) with (alumina or (aluminum adj oxide) or "al.sub. 2 o.sub.3" or "al.sub.2o.sub.3")) and (resonator or resonating)	US-PGPUB; USPAT	OR	ON	2007/10/11 19:03
S42 1	0	S420 and ((gamma) with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/11 19:09
S42 5	3	S424 and ((pt or platinum) with ferroelectric)	US-PGPUB; USPAT	OR	ON	2007/10/11 19:10
S42 7	13	S426 and (electrode with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON .	2007/10/13 18:46
S42 3	0	S422 and ((gamma) with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR,	ON	2007/10/13 18:47
S43 0	2	S429 and ((gamma) with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/13 18:53

10/15/07 12:06:24 PM

("310"/\$6.cor.) and ((gamma) with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/13 18:53
S432 and (electrode with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/13 18:55
S446 and (sensor or sensing or detector or detecting or sense or detect)	US-PGPUB; USPAT	OR	ON	2007/10/13 19:24
((ultra adj sonic) adj (sensor or sensing or detector or detecting)).ti.	US-PGPUB; USPAT	OR .	ON	2007/10/13 19:24
S446 and ferroelectric	US-PGPUB; USPAT; USOCR	OR	ON	2007/10/13 19:45
S440 and (cantilever or beam)	US-PGPUB; USPAT	OR	ON	2007/10/13 19:46
S450 and (cantilever or beam)	US-PGPUB; USPAT	OR	ON	2007/10/13 19:47
("310"/\$6.cor.) and S449	US-PGPUB; USPAT	OR	ON	2007/10/13 19:47
("310"/\$6.cor.) and (ferroelectric with (pt or platinum))	US-PGPUB; USPAT	OR ·	ON	2007/10/13 19:59
S478 and soi	US-PGPUB; USPAT	OR	ON	2007/10/13 22:31
S456 and (substrate with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR ·	ON	2007/10/14 18:21
(gamma with ((si or silicon) near substrate) with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o. sub.3"))	US-PGPUB; USPAT	OR	ON .	2007/10/14 18:23
(gamma with (si or silicon) with ("100") with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o. sub.3"))	US-PGPUB; USPAT	OR.	ON	2007/10/14 18:24
(gamma with ((si or silicon) near2 ("100")) with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o. sub.3"))	US-PGPUB; USPAT	OR,	ON	2007/10/14 18:30
S485 and (gamma with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/14 18:32
(gamma with ((face or plane) near2 ("100")) with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o. sub.3"))	US-PGPUB; USPAT	OR	ON	2007/10/14 18:32
)	adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3")) S432 and (electrode with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3")) S446 and (sensor or sensing or detector or detecting or sense or detect) ((ultra adj sonic) adj (sensor or sensing or detector or detecting)).ti. S446 and ferroelectric S440 and (cantilever or beam) S450 and (cantilever or beam) ("310"/\$6.cor.) and S449 ("310"/\$6.cor.) and (ferroelectric with (pt or platinum)) S478 and soi S456 and (substrate with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3")) (gamma with ((si or silicon) near substrate) with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3")) (gamma with ((si or silicon) with ("100") with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3")) (gamma with ((si or silicon) near2 ("100")) with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3")) S485 and (gamma with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2	adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3") S432 and (electrode with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2 o.sub.3") S446 and (sensor or sensing or detector or detecting or sense or detect) ((ultra adj sonic) adj (sensor or sensing or detector or detecting)).ti. S446 and ferroelectric S446 and ferroelectric S446 and ferroelectric S446 and ferroelectric S446 and (cantilever or beam) S450 and (cantilever or beam) US-PGPUB; USPAT US-PGPUB; USPAT; USOCR US-PGPUB; USPAT; USOCR US-PGPUB; USPAT US-PGPUB; US-PGPUB; USPAT US-PGPUB; USPAT US-PGPUB; USPAT US-PGPUB; US-PGPUB; USPAT US-PGPUB; USPAT US-PGPUB; USPAT US-PGPUB; USPAT US-PGPUB; USPAT US-PGPUB; USPAT US-PGPUB; USPAT US-PGPUB; USPAT US-PGPUB; USPAT US-PGPUB; USPAT US-PGPUB; US-PGPUB; USPAT US-PGPUB; USPAT US-PGPUB; USPAT US-PGPUB; US	adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3")) S432 and (electrode with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2 o.sub.3") S446 and (sensor or sensing or detector or detecting or sense or detect) ((ultra adj sonic) adj (sensor or sensing or detector or detecting)).ti. S446 and ferroelectric S446 and ferroelectric US-PGPUB; USPAT US-PGPUB; USPAT; USOCR S440 and (cantilever or beam) US-PGPUB; USPAT; USOCR US-PGPUB; USPAT US-PGPUB; USPAT US-PGPUB; OR USPAT ("310"/\$6.cor.) and S449 US-PGPUB; USPAT ("310"/\$6.cor.) and (ferroelectric with (pt or platinum)) US-PGPUB; USPAT US-PGPUB; OR USPAT OR US-PGPUB; OR USPAT US-PGPUB; OR US-PGPUB; OR USPAT US-PGPUB; OR USPAT	adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3") S432 and (electrode with (alumina or (aluminum adj oxide) or "al.sub.2 o.sub.3" or "al.sub.2o.sub.3") S446 and (sensor or sensing or detector or detecting or sense or detect) ((ultra adj sonic) adj (sensor or sensing or detector or detecting)).ii. S446 and ferroelectric US-PGPUB; USPAT US-PGPUB; OR ON USPAT; USOCR S440 and (cantilever or beam) S450 and (cantilever or beam) US-PGPUB; OR ON USPAT; USOCR S450 and (cantilever or beam) US-PGPUB; OR ON USPAT US-PGPUB; OR ON USPAT

10/15/07 12:06:24 PM Page 4